

Envy Lip Plumper (160509HP-0.1/5-E1)

<u>INCI Name</u>	<u>Ingredient</u>	<u>%</u>
A CI 19140:1	21DB4808	0.100
A CI 15850:2	31DA3006	0.040
A CI 77491	34PC3511	0.004
A Diisostearyl Malate	Corum 5015	10.000
B Stearyl Dimethicone	BELSIL SDM 5055 VP	2.000
B Isostearyl Isostearate	Corum 5088	10.000
B Octyldodecyl Stearoyl Stearate	Corum 5047	10.000
B Pentaerythrityl Tetraisoosterate	Corum 5041	6.000
B Phytosteryl Hydroxystearate	Corum 5081	1.300
B PEG-8 Beeswax	Corum 2680	5.000
B Polyisobutene	Permethyl 104A	32.656
B Petrolatum	Petrolatum	15.000
C Calcium Sodium Borosilicate (and) Titanium Dioxide (CI 77891) (and) Tin Oxide	Mirage Twinkling Silver	1.500
C BHA (and) BHT (and) Propyl Gallate (and) Citric Acid	Corum 9188	0.200
C Tocopheryl Acetate	Tocopheryl Acetate	0.500
C Phenoxyethanol	Phenoxyethanol	0.500
C Pentaerythrityl Tetraisoosterate (and) Mineral Oil (and) Distearidimonium Hectorite (and) Propylene Carbonate (and) Palmitoyl Hexapeptide-12	Corum 8816	5.000
C Vanillyl Butyl Ether	HotFlux [®]	0.100
C Fragrance	Hokusai 815018 B	0.100

Appearance : Peach viscous liquid with pearl

Viscosity : 1900 cP

Instrument Model	Spindle No.	Speed (rpm)	Test Period (Sec)	Temperature (°C)	% Torque	Container
Brookfield viscometer LV DV- II +Pro	LV4 64	60	30	25	19	20g Bottle

Procedure :

1. Mix Part A with high speed homogenizer until uniform.
2. Heat Part A and B separately to 75-80°C, then mix Part A to B with stirring.
3. Maintain a temperature of 75°C for 5 minutes with stirring
4. Then remove the heater and cool down to 50°C with stirring.
5. Add Part C to Part A/B with stirring and cool down to RT.